



Dr. Khairul Anuar produces CLINKROOF, sustainable green roof system based on palm oil waste

16 January 2023

PEKAN, 27 December 2022 - Flash floods and rising temperatures in big cities due to urban heat islands reported by the mass media are happening more and more often lately.

This situation has sparked an idea for the lecturer of the Faculty of Civil Engineering Technology (FTKA) UMP, Dr. Khairul Anuar Shahid to produce CLINKROOF that could reduce the potential for flash floods and lower the temperature in the building using solid waste from palm oil mills through green roof construction.

This project also received collaboration from FTKA lecturers, Dr. Noor Suraya Romali, Ts. Dr. Mohd Faizal Md. Jaafar, Ts. Roziah Zailan, Ts. Norhaiza Ghazali and Hasmanie Abd. Halim.

According to Dr. Khairul, the idea to create this product began when he visited a palm oil mill near UMP.

“The mill produces waste products from palm oil processing, namely oil palm clinkers, empty fruit bunches and palm oil mill effluents.

“It is produced based on several layer systems such as vegetative, substrate, filter, and drainage layers.

“All the layers except the vegetative layer use the waste from palm oil mills,” he said.

He further added that the vegetative layer is a layer for plants.

“All these layers will be built on the roof surface of the building and will be planted with creeping plants.

“The green roof can provide a cool effect inside and around the building.

“In addition, it can reduce the potential for flash floods in large urban areas that lack the soil surface to absorb water into the soil,” he said.



اوپنورسیتی ملیسيا فاهڠ
UNIVERSITI MALAYSIA PAHANG

ITEX'22
INTERNATIONAL INNOVATION & TECHNOLOGY EXHIBITION MALAYSIA



ITEX CATEGORY: BUILDING
CLINKROOF
THE SUSTAINABLE GREEN ROOF SYSTEM BASED ON PALM
OIL WASTE PRODUCTS

INVENTOR: DR. KHAIRUL ANUAR SHAHID
FACULTY: FACULTY OF CIVIL ENGINEERING TECHNOLOGY (FTKA)
UNIVERSITY: UNIVERSITI MALAYSIA PAHANG
EMAIL: khairulanuars@ump.edu.my
CO-INVENTORS: DR. NOOR SURAYA ROMALI, TS. ROZIAH ZAILAN, TS.
NORHAIZA GHAZALI, HASMANIE ABDUL HALIM, TS. DR. FAIZAL MD.
JAAFAR
PATENT: PI2022002561



Product Background:

- i) Rapid urbanization has led to increase in loss of open space and forested land
- ii) Global warming can cause temperature to increase at certain degree
- iii) Increased in palm oil production led to increase in palm oil by-product

Purpose of Invention:

- i) Reduce flash flood in urban prone area
- ii) Reduce energy consumption
- iii) Reuse and recycle palm oil waste products

Novelty/ Originality/ Inventiveness:


The CLINKROOF product replaced the conventional substrate, filter, drainage layer materials from soil, polypropylene, plastic to Palm Oil Mill Effluent (POME) sludge, palm oil empty fruit bunch (EFB), and palm oil clinker (POC)

Product Benefits:

- i) Improve run-off quality
- ii) Good water absorbent, improved in infiltration system & organic fertilizer
- iii) Reduce temperature & UHI impact




State of the Art/ Method:





Cost Analysis:

Conventional Green Roof		CLINKROOF	
Materials	Price (RM)	Materials	Price
1. Garden soil	RM 30/m ²	1. Garden Soil	RM 30/m ²
2. Geotextile	RM 10/m ²	2. EFB	FREE
3. Plastic Drainage	RM 5/m ²	3. POC	FREE
4. Water proofing	RM 10/m ²	4. Water proofing	RM 10/m ²
Total:	RM 55/m ²	Total:	RM 40/m ²




Product Characteristics/Results

pH Value in Different POC Specimen (Fulfilled DOE Water Quality Index Class III)




SUSTAINABILITY




Market Survey

COST REDUCTION



CONSTRUCTIBILITY



Benefits/Environmental Impact:

Zero waste practice, clean and reduce landfilling
Reduction of Carbon emission and energy saving.

Achievement/Award: GOLD MEDAL CITREX, 2022

Status of Innovation: Prototype green roof system material & concept (TRL4)

Collaboration/Industrial Partner:



Marketability & Commercialisation

Commercialization potential for hotel's, apartment, university hall, convention centre and private house rooftop landscaping.

Publication:

- i) Compressive Strength of Concrete Containing Laterite Stone and Palm Oil Clinker as Fine Aggregate Replacement. In *IOP Conference Series: Earth and Environmental Science* (Vol. 682, No. 1, p. 012033). IOP Publishing (SCOPUS INDEXED)
- ii) The potential of cooling effect using palm oil clinker as drainage layer in green roof system. *ARNP Journal of Engineering and Applied Sciences*, 11(11) (SCOPUS INDEXED)
- iii) Palm oil clinker as drainage layer in green roof system under Malaysia climatic conditions. *Journal of Engineering and Technology (JET)*, 5(2), 27-38 (MYCITE INDEXED)

This research started in 2013 under the UMP internal grant and continued in 2021 because there is great potential to produce CLINKROOF in areas where flash floods are frequent such as Kuala Lumpur.

He added that the plan for this product is to continue with more in-depth research with partners from the industry to improve its function.

“This product has also been greatly improved in terms of functionality and construction.

“It is hoped that this product can be commercialised because it has a high potential to reduce the occurrence of flash floods, especially in urban areas densely populated with development and also has the potential to reduce temperatures within the area and its surrounding.

“The product cost is also much lower than those of conventional products because they are made from palm oil waste and indirectly contribute to environmental sustainability,” he said.

This research won a gold medal in the Creation, Innovation, Technology and Research Exposition (CITREx) 2021.

The research also won a gold medal at the International Invention, Innovation and Technology Exhibition (ITEX) 2022 which took place at the Kuala Lumpur Convention Centre (KLCC) on 26 and 27 May 2022.

By: Nur Hartini Mohd Hatta, Corporate Communications Division, Chancellery Department

Translation by: Dr. Rozaimi Abu Samah, Engineering College/Faculty of Chemical and Process Engineering Technology

[View PDF](#)